

TEXAS DEPARTMENT OF WATER RESOURCES

1700 N. Congress Avenue
Austin, Texas



Charles E. Nemir
Executive Director

TEXAS WATER DEVELOPMENT BOARD

Louis A. Beecherl, Jr., Chairman
George W. McCleskey, Vice Chairman
Glen E. Roney
Lonnie A. "Bo" Pilgrim
Louie Welch
Stuart S. Coleman

TEXAS WATER COMMISSION

Paul Hopkins, Chairman
Lee B. M. Biggart
Ralph Roming

August 30, 1985


Mr. Billy Sims
C. J. Martin Company
606 West Main Street
Nacogdoches, Texas 75961

Dear Mr. Sims:

The soil samples taken from your facility as part of the National Dioxin Study have been analyzed. Dioxin (specifically 2,3,7,8-tetrachloro-dibenzo-p-dioxin) was not detected in the samples at a detection level of 0.1 part per billion. By comparison, the national Centers for Disease Control determined that 1.0 part per billion was a minimum level of concern for a residential site in Times Beach, Missouri.

We greatly appreciate your cooperation in this study. If you have any questions or would like to further discuss the results of this analysis, please contact David Parrish, United States Environmental Protection Agency, Region VI Coordinator at 214/767-9093 or David Barker, Texas Department of Water Resources at 512/463-7727.

Sincerely,


Robert G. Fleming, P.E.
Director
Enforcement and Field Operations Division

PS:je

cc: David Parrish, EPA, Region VI
Texas Department of Water Resources District 5 office

90068306

